


### product information document

The Point Modular Floor Lamp is the result of a collaboration between product designer Alex Buckman and Città's 3D design team, David Moreland and Nikolai Sorensen.

The unique lamp makes a statement with its spherical hand-blown glass shade and pared-back aesthetic. The lamp emits an ambient light from the amber or smoke grey shade. The steel column has an integrated switch at the top allowing you to dim the light.



#### material

Mild Steel | Glass

#### colour



Smoke Grey Glass

EBL0011FLU



Amber Glass

EBL0012FLU

dimensions packaged  $15.7 \times 15.7 \times 41.7$  in. (h)

dimensions assembled  $\emptyset$ 11.8 x 68.1 in. (h)

(assembled lamp cannot exceed 68.1 in. high).

weight packaged 35.4 lb weight assembled 16.8 lb

#### specification

- Integrated 2.5 Watt 2700k LED Lightsource
- Lumen rating: 45 LM | 120VAC | Max. 9 Watts
- Cable Length: 59 in.
- Plug: Xing Yuan LED Adapter Model #XY12J-2400500Q-ZW
- In Line Switch: Openwise step switch, Model #317
- On/Off floor switch attached from base
- LED has a 50,000 hour expected lifespan
- Not IP rated for bathroom or wet area use
- When assembling the light, please ensure it is not plugged in or turned on
- To connect the pole to the base, rotate the thread clockwise until the pole sits flush with the base
- Place the glass shade on the collar, then wind on the threaded top cap until it is flush with the glass
- There might be a small amount of movement in the glass once complete. This is intentional for movement if bumped
- 3 year warranty

#### care instructions

Carefully clean with a warm damp cloth. Refer to Point lighting range cleaning guide.

#### assembly


Assembly required.




### components included

top stem x 1 ø0.61 x 3.9 in. (h)	
small shade x 2 Ø8.35 x 11.97 in. (h)	
large shade x 1 ø11.81 x 15.35 in. (h)	
short extension pole x 2 Ø0.61 x 8.27 in. (h)	
long extension pole x 1 Ø0.61 x 14.97 in. (h)	
lamp base x 1 ø11.81 in. 59.1 in. cable length.	

### configuration options



parts used: top stem + small shade  $\times$  2 + large shade + long extension pole + base. parts spare: short extension pole  $\times$  2



parts used: top stem + small shade  $\times$  2 + large shade + short extension pole + long extension pole + base. parts spare: short extension pole  $\times$  1