

product information document

The Point Table Lamp is the result of a collaboration between product designer Alex Buckman and Città's 3D design team, David Moreland and Nikolai Sorensen.

The unique lamp makes a statement with its spherical hand-blown glass shade and pared-back aesthetic. The lamp emits an ambient light from the clear, grey shade. The matte black steel column has an integrated switch at the top, allowing you to dim the light with three different brightness options.



material

Mild Steel | Glass

colour



Smoke Grey Glass

Small Pendant: EBL0008PSU Large Pendant: EBL0008PLU Small Extension: EBL0008PES Small Extension: EBL0008PEL



Clear Glass

Small Pendant: EBL0007PSU Large Pendant: EBL0007PLU Small Extension: EBL0007PES Large Extension: EBL0007PEL

dimensions packaged Small Pendant: 11.3×14.6 in. (h) Extension: $11.2 \times 11.2 \times 12.8$ in. (h)

Large Pendant: $21.5 \times 21.7 \times 17.7$ in. (h) Extension: $14.8 \times 14.8 \times 16.3$ in. (h)

dimensions assembled Small Pendant: Ø8.3 x 21.3 in. (h) Extension: Ø8.3 x 12.2 in. (h)

Large Pendant: ø11.8 x 29.1 in. (h) Extension: ø11.8 x 18.1 in. (h)

weight packaged Small Pendant: 7.0 lb Extension: 3.5 lb

Large Pendant: 10.7 lb Extension: 5.7 lb

weight assembled Small Pendant: 5.9 lb Extension: 3.7 lb

Large Pendant: 9.0 lb Extension: 5.5 lb

specification

• Integrated 2700k LED Lightsource non dimmable

• Lumen rating: 45 LM | 120VAC | Max. 9 Watts

• Cable Length: 98.4 in. | Ceiling Rose: ø4.8 x 1.6 in.

 Guanqin Constant Voltage LED Driver Model #AED18-2400750VDCWO

3 year warranty

LED has a 50,000 hour expected lifespan

Not IP rated for bathroom or wet area use

 When connecting the extensions, please ensure the pendant light is turned off at the wall

• Remove end cap when connecting the extension

 To connect, rotate the thread clockwise until the extension pole sits flush with the pendant pole

 A max. of three large or small extension can be connected to the pendant, totalling a string of four lights

care instructions

Carefully clean with a warm damp cloth. Refer to Point lighting range cleaning guide.

assembly


Installation required.

To be fitted by a qualified electrician only.

components

small pendant ø8.3 x 21.3 in. (h)	
small extension Ø8.3 x 12.2 in. (h)	
large pendant Ø11.8 x 29.1 in. (h)	
large extension ø11.8 x 18.1 in. (h)	

configuration options



configuration options

