

# CITTÀ

## point modular pendant



### product information document

The Point Modular Pendant is the result of a collaboration between product designer Alex Buckman and Città's 3D design team, David Moreland and Nikolai Sorensen. Awarded a Gold Pin at New Zealand's prestigious Best Design Awards in 2020.

The unique pendant makes a statement with its spherical hand-blown glass shade and pared-back aesthetic. The modular design gives you the ability to create a lighting configuration customised to your space. The shade is crafted by skilled artisans using traditional glass-blowing techniques. In the elaborate process, molten glass is handled on the end of a blowpipe and then mouth-blown into a fixed-shaped mould. This handcrafted nature may create some variations in colour.



# point modular pendant

The following information in this spec sheet corresponds to our kitsets of predetermined componentry.

## colour



Smoke Grey Glass

#1: EBL1001BU	#6: EBL1006BU
#2: EBL1002BU	#7: EBL1007BU
#3: EBL1003BU	#8: EBL1008BU
#4: EBL1004BU	#9: EBL1009BU
#5: EBL1005BU	#10: EBL1010BU

## size packaged

#1: 3.871 cbf	#6: 16.361 cbf
#2: 4.702 cbf	#7: 18.197 cbf
#3: 5.707 cbf	#8: 17.192 cbf
#4: 6.537 cbf	#9: 20.032 cbf
#5: 4.528 cbf	#10: 21.037 cbf

## specification

- Integrated 2700k LED Lightsource non dimmable
- Lumen rating: 45 LM | 120VAC | Max. 9 Watts
- Cable Length: 98.4 in. | Ceiling Rose:  $\varnothing$ 4.8 x 1.6 in.
- Guanzin Constant Voltage LED Driver Model #AED18-2400750VDCWO
- 3 year warranty
- LED has a 50,000 hour expected lifespan
- Not IP rated for bathroom or wet area use
- When connecting the extensions, please ensure the pendant light is turned off at the wall
- Remove end cap when connecting the extension
- To connect, rotate the thread clockwise until the extension pole sits flush with the pendant pole
- A max. of three large or small extension can be connected to the pendant, totalling a string of four lights

## material

Mild Steel | Glass



Clear Glass

#1: EBL1001WU	#6: EBL1006WU
#2: EBL1002WU	#7: EBL1007WU
#3: EBL1003WU	#8: EBL1008WU
#4: EBL1004WU	#9: EBL1009WU
#5: EBL1005WU	#10: EBL1010WU

## weight packaged

#1: 14.1 lbs	#6: 15.15 lbs
#2: 18.6 lbs	#7: 23.09 lbs
#3: 22.1 lbs	#8: 19.56 lbs
#4: 26.49 lbs	#9: 27.5 lbs
#5: 19.43 lbs	#10: 34.56 lbs

## care instructions






Carefully clean with a warm damp cloth.  
Refer to Point lighting range cleaning guide.






## assembly

Installation required.  
To be fitted by a qualified electrician only.

# point modular pendant

dimensions assembled

#1	#2	#3	#4	#5
				
ø11.8 x 39.4 in. (h)	ø11.8 x 51.6 in. (h)	ø11.8 x 57.5 in. (h)	ø11.8 x 69.7 in. (h)	ø8.8 x 57.9 in. (h)

#6	#7	#8	#9	#10
				
ø11.8 x 41.3 in. (h)	ø11.8 x 59.4 in. (h)	ø11.8 x 53.5 in. (h)	ø11.8 x 71.6 in. (h)	ø11.8 x 83.4 in. (h)